

Urban Rats – The Public Health Perspective

Katherine Feldman, DVM, MPH

State Public Health Veterinarian
Center for Zoonotic and Vector-borne Disease
Infectious Disease and Environmental Health Administration
Maryland Department of Health and Mental Hygiene



Today's Discussion

- Public health structure in Maryland
- Rat-related public health activities
 - Rat complaints and inspections
 - Rodent-associated disease investigations
- Resources





Who Are We?

- Maryland Department of Health & Mental Hygiene (DHMH)
 - ➤ Infectious Disease and Environmental Health Administration (IDEHA)
 - ➤ Office of Infectious Disease
 Epidemiology and Outbreak Response
 - ➤ Center for Zoonotic and Vector-borne Diseases (CZVBD)



Infectious Disease & Environmental Health Administration

- To improve the health of Marylanders by reducing the transmission of infectious diseases, helping impacted persons live longer, healthier lives, and protecting individuals and communities from environmental health hazards
- We work in partnership with local health departments, providers, community based organizations, and public and private sector agencies to provide public health leadership in the prevention, control, monitoring, and treatment of infectious diseases and environmental health hazards




Center for Zoonotic & Vectorborne Diseases

Mission –

To reduce the incidence and associated impact of rabies and other zoonotic and vector-borne diseases in Maryland








Rat-related Public Health Activities

- Environmental Health / Sanitation
 - Rat complaints
 - Inspections
- Disease investigations
 - Rodent-associated infectious diseases






Baltimore City


- Rat Rubout recently moved from Baltimore City Health Department to Department of Solid Waste
 - Greater synergy with other sanitation programs (e.g., vacant / abandoned / unoccupied house clean-up requests)
- 28,000 rat complaints in FY10
- 42,000 vacant / abandoned / unoccupied house clean-up requests each year



Baltimore City Activities

- Rodent complaints
 - Resident calls 311 with complaint
 - City inspects, baits, and leaves information
 - City follows-up 3 weeks later
- Vacant / abandoned / unoccupied properties
 - City baits after cleaning up property
- Rat Rubout Educator
 - Proactive
 - Inspects "hot" areas, leaves information
 - Attends community meetings







Rat Control


Montgomery County, Maryland


"It shall be unlawful for anyone to allow their property to be infested with rats or to be in such condition as to contribute to an existing or potential rat infestation."

Chapter 39 of the Montgomery County Code











Inspections

- Inspections with rodent component
 - Restaurant
 - Multiple-dwelling
 - Campground
 - Pet stores
- Authority may vary by jurisdiction and type of inspection
 - Health vs. Housing vs. other
- Actions may range from ensuring appropriate rodent control to shutting down facility



Diseases Associated with Rats

- Leptospirosis (Leptospira interrogans)
- Hantavirus
- Plague (Yersinia pestis)
- Rat bite fever (Streptobaccilus moniliformis)
- Tularemia (Francisella tularensis)
- Salmonellosis (Salmonella spp.)
- Murine typhus (Rickettsia typhi)
- More...



Rodent Disease Transmission

- Inhalation
 - Aerosolized feces
 - Aerosolized urine
- Ingestion
 - Urine
 - Stool
- Direct contact
 - Saliva
 - Infected tissue
 - Bites





Hantaviruses

- RNA viruses
 - United States, mostly Sin Nombre virus
 - Many hantaviruses worldwide
- Rodent reservoir specific to hantavirus
 - Deer mouse (*Peromyscus maniculatus*) for Sin Nombre virus
 - Norway rat (Rattus norvegicus) for Seoul virus
- Transmission via aerosolized rodent excreta



Hantavirus Clinical Features

- Hantavirus pulmonary syndrome (HPS)
 - Abrupt onset respiratory distress
 - Fever, cardiac insufficiency, and pulmonary capillary leakage, often resulting in shock and death
- Hemorrhagic fever with renal syndrome (HFRS)
 - Fever, shock and renal insufficiency



Hantavirus Epidemiology

- Reportable nationally and in Maryland
- 25 40 U.S. cases annually
 - Most cases in southwest
 - HPS due to Sin Nombre virus
 - No Maryland HPS cases to date
 - "Local" HPS cases: WV, VA, PA
- Persons in areas contaminated with excreta at risk



Hantavirus Case Report, Maryland, 2008

- 22 year old male presented to emergency department (ED) with 3 days cough and fever
 - Pulmonary exam notable for expiratory wheezing
 - Received nebulized bronchodilators and discharged
- Returned 3 days later complaining of nausea, vomiting, crampy abdominal pain, diarrhea, headache, sore throat, persistent fever, myalgias, nonproductive cough, dark urine



Hospital Course

- Hypotensive in ED → admitted
- Day 3 of symptoms
 - Leukocytosis with bandemia and thrombocytopenia
 - Elevated transaminase, creatinine, and creatinine phosphokinase levels
- Day 6 of symptoms, decreased urinary output

 → acute renal failure attributed to
 rhabdomyolysis
 - Hemodialysis



Laboratory Findings

- Laboratory testing
 - Blood and urine cultures negative
 - Influenza, RSV, adenovirus, parainfluenza negative
 - Legionella pneumophila serogroup 1 negative
 - Hepatitis A, B, C negative
 - Leptospirosis negative
 - Hantavirus antibodies positive
 - IgG: 9.62 (<1.10)
 - IgM: 8.34 (<1.10)



DHMH Investigation

- Coordination with CDC
 - Clinical picture consistent with HFRS, not HPS
 - Sin Nombre virus
 - IgM, IgG negative
 - Seoul virus
 - IgM (1:1600), IgG (≥1:6400), and PCR positive
- Coordination with two local health departments and academic partners
 - Patient interview
 - Residence and workplace visits
 - Rodent trapping



Patient Interview

- No history of foreign or domestic travel
- Possible rodent exposure at work
- Denied direct contact with rodents
- Denied seeing rodents
- Reported many others had seen rodents
- No other rodent exposure



Environmental Investigation and Recommendations

- Worksite
 - Rodent droppings visualized
 - Poor sanitation
 - Dry sweeping and power washing
 - Recommendations
 - · Control rodent problem
- No dry sweeping or power washing
- Residence
 - Rat burrows on same block as residence
 - Reviewed appropriate rodent hygiene with patient
- No rats trapped at either location







Seoul Virus Disease in U.S.

- Seoul virus
 - 50% seroprevalence in Baltimore Norway rats
 - Hemorrhagic fever with renal syndrome
 - Most cases in Korea, China, Japan, Russia
- Domestically acquired HFRS due to Seoul virus not previously diagnosed in acute stage in U.S.
- · Retrospectively diagnosed in Baltimore patients with renal disease



Outcome and Lessons Learned

- Patient completely recovered
- Consider uncommon pathogens
- Collaboration essential
 - Two local health departments
 - Communicable Disease
 - Environmental Health
 - DHMH
 - CDC
 - Academic partners





References and Resources

- www.cdc.gov/rodents
- Woods C, Palekar R, Kim P, et al. Domestically Acquired Seoul Virus Causing Hemorrhagic Fever with Renal Syndrome — Maryland, 2008. Clinical Infectious Diseases. 2009;49(10):e109-12.



Acknowledgments

- Steve Haynes, RS, Environmental Health Specialist, Montgomery County Department of Health and Human Services
- Valentina I. Ukwuoma, Head Bureau of Solid Waste, Baltimore City Department of Public Works
- Tonya R. Simmons, Recycling Coordinator, Bureau of Solid Waste, Baltimore City Department of Public Works
- Rakhee Palekar, MD, MPH, Epidemic Intelligence Service Officer, Maryland Department of Health and Mental Hygiene
- Kyle Shannon, RS, Zoonotic Disease Specialist, Anne Arundel County Department of Health

Questions?



Maryland
Infectious Disease and
Environmental Health
Administration

http://eh.dhmh.md.gov/ideah